

## CLEANERS

# Caustichlor

## SELF-FOAMING ALKALINE CHLORINATED CLEANER

<b>Properties</b>	CAUSTICHLOR is a premium foaming cleaning compound that is designed for use through mechanical or portable foaming devices. In addition, it is used as a spray cleaner, in soak and COP cleaning, and makes an excellent heavy-duty cleaner for all types of cleaning in and around the food plant.										
<b>Applications</b>	CAUSTICHLOR is approved for use in food plants by the USDA and uses only food-grade chemicals allowed by the FDA.										
<b>Physical Properties</b>	<table><tr><td>Color</td><td>Pale, yellow clear</td></tr><tr><td>Scent</td><td>Faint bleach odor</td></tr><tr><td>Density (20 °C)</td><td>1.12 g/mL (9.37 lbs./gal)</td></tr><tr><td>pH</td><td>&gt;12</td></tr><tr><td>Chlorine</td><td>2 oz./gallon equals 390 ppm</td></tr></table>	Color	Pale, yellow clear	Scent	Faint bleach odor	Density (20 °C)	1.12 g/mL (9.37 lbs./gal)	pH	>12	Chlorine	2 oz./gallon equals 390 ppm
Color	Pale, yellow clear										
Scent	Faint bleach odor										
Density (20 °C)	1.12 g/mL (9.37 lbs./gal)										
pH	>12										
Chlorine	2 oz./gallon equals 390 ppm										
<b>Directions for Use</b>	CAUSTICHLOR can be used at dilutions as low as 1 oz. per gallon for spray cleaning, 2-4 oz. per gallon for soak cleaning, and 3-5 oz. per gallon for foam cleaning. Heavier cleaning requirements or more appreciable foam levels may dictate usage dilutions at levels different than those recommended here.										
<b>Packaging</b>	This product is available in 5-gallon pail. Additional sizes on request.										
<b>Transport (DOT)</b>	UN1760, Corrosive Liquid, n.o.s. (Potassium Hydroxide), 8, PG III										

**Important:** Read and understand label and Safety Data Sheet (SDS) for complete listing of hazards, precautions, first aid statements, and storage and handling information. MSDS Sheets are available from the distributor of this product. 24-Hour Emergency Response Line 1-800-262-8200.

### Product #10798 (v-9-10-2019)

All information and statements contained herein are believed to be accurate at the time of publication, but ATP Group makes no warranty with respect thereto, including but not limited to any results to be obtained or the infringement of any proprietary rights. Use or application of such information or statements is at user's sole discretion, without any liability on the part of ATP Group. Nothing herein shall be construed as a license of or recommendation for use which infringes upon any proprietary rights. Use of this product shall be the sole responsibility of user, and ATP Group shall not be liable in any way for said use, other than reimbursement for the actual cost of product.